I St And Final Bill

Work code · 005-19-000029

Est Cost Rs - 40.00 Lakhs

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. ..... Drilling & Boreweus providing pump 497801

Name of Work ..... Motors and Laying Pipeline At From Agraharalay out To

Name of Contractor of nature of Agency ..... Surrouending Area in Ward No. 05 Byatarayapura Sub division.

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Work order No. - BBMP/EE/BTP/WO/86/2019.20						
	Name & Contractor · Sri · K.R. Santosh Kumar. #04 Samrudhi AVR Block. I St Main Road · Virupakshapura Dhanalakshmi layout · B.Lore · 560091						
①	Geophysical investigation & Site for Sinking borewell for supplying drinking water to the habitation either through the hand Pump Mark or PWSS by Electrical						Electrical Sanc

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	by adopting vernier or screw gauge as the case may be including reconnaissance survey & geological formation & ground water & including all necessary and accessory to the work indicating the location & the recommended depth & casing pipe required to reach the top of consolidated formation including an extra depth & 1-0 mtr in consolidated formation for proper seating of casing pipe depth & including required to cover all depths & aquifer proposed to be tested. Providing and operating for required including transportation & installation & dismantling to and from & the existing tubewell and other incidental etc.. complete as per specification and direction & the Engineer incharge & the work.						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497802

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(1) Kunduthope Sampigehally	1	—	—	—	1	
	(2) Byrekonda circle Near Anjineya Temple Jalkur.	1	—	—	—	1	
	(3) Agrahara layout near Balaji layout Main Road	1	—	—	—	1	
	(4) Krishnanagara Near Balaji layout (Post(le)	1	—	—	—	1	
	Rate · 2016:00					4 NOS	8064:00

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(2)	Sinking & borewell & 165mm dia clear using Superfast hydraulic rig & capacity 200 PSI & above 900 CMPM & above in all strata including over burden upto 20mm sizing & casing pipes covering & cap with necessary cutting threading & welding including transportation of rig & supplying vertical even charges & carriage consumables etc. - complete including required testing as per final depth & casing pipes covering cap etc.)						0.00 to 50.00m
(1)	Gundlapalli Sampishaary.	1	50.00	-	-	50.00	
(2)	Byrekonda circle Near Anjaneya Temple Jakkur.	1	50.00	-	-	50.00	

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497803

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(3) Agrahara layout Near Balaji layout Main Road	1	50.00	1	1	50.00	
	(W) Krishnanagara Near Balaji layout (Position)	1	50.00	1	1	50.00	
						200.00 Mtr	
	Rate. 327:79						65558:00
(3)	50 to 100 Mtr.						
	(1)	1	50.00	1	1	50.00	
	(2)	1	50.00	1	1	50.00	

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(S)	1	50.00	1	1	50.00	
	(W)	1	50.00	1	1	50.00	
						200.00	MBN
	Rate · 428 : 48						85696.00
(W)	100 to 150.00 MBN.						
	(1)	1	50.00	1	1	50.00	
	(2)	1	50.00	1	1	50.00	
	(3)	1	50.00	1	1	50.00	
	(4)	1	50.00	1	1	50.00	
	Rate · 476 : 68					200.00	MBN 95336.00

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497804

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(5)	150 to 200.00 MM						
	(1)	1	50.00	1	1	50.00	
	(2)	1	50.00	1	1	50.00	
	(3)	1	50.00	1	1	50.00	
	(4)	1	50.00	1	1	50.00	
						200.00 MM	1006922
(6)	Rate. 503:46						
	200 to 250.00 MM						
	(1)	1	50.00	1	1	50.00	
	(2)	1	50.00	1	1	50.00	

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	③	1	50.00	1	1	50.00	
	④	1	50.00	1	1	50.00	
						200.00 MSr	
	Rate. 582:73						116546.00
⑦	250 to 300 MSr						
	①	1	50.00	1	1	50.00	
	②	1	50.00	1	1	50.00	
	③	1	50.00	1	1	50.00	
	④	1	50.00	1	1	50.00	
						200.00 MSr	
	Rate. 624:51						124902.00

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497805

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(8)	300 to 370 MM						
	(1)	1	69.00	1	1	69.00	
	(2)	1	70.00	1	1	70.00	
	(3)	1	68.00	1	1	68.00	
	(4)	1	70.00	1	1	70.00	
						277.00 MM	
	Rate. 646:88						179185:76
(9)	Supplying & laying Mains 175 mm nominal Bore medium class CI/DI/SG/MS/PSC/RCC pressure Conforming to IS welded with Steel Jts						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Mesonal conforming to IS 1387/1993 and manufactured from hot rolled steel steel/ships in standard lengths of 4 to 7 mtr from ends threaded conforming to IS 554/1985 one end (including galvanized) ese-- compress.						
	(1) Kundlupete Sampigenahalli	1	63.00	-	-	63.00	
	(2) Byrecowda Circle Near Anjaneya Temple Jakkur.	1	65.00	-	-	65.00	
	(3) Agrahara layout Near Balaji layout Logic	1	66.00	-	-	66.00	

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497806

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(9) Krishna nagara Near Balaji Layout Kogile	1	62.00	-	-	62.00	
						256.00	
	Rate. 1419:34						363351:04
	(10) Providing and Fixing 250 mm dia PVC Pipe and as per specification and direction.						
	(1)	1	10.00	-	-	10.00	

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	②	1	10.00	–	–	10.00	
	③	1	10.00	–	–	10.00	
	④	1	10.00	–	–	10.00	
	Rate · 1178:32					40.00 Mtr	47132:80
(11)	175mm dia MS Casing Cap						
	①	1	–	–	–	1	
	②	1	–	–	–	1	
	③	1	–	–	–	1	

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497807

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(W)	1	–	–	–	1	
						4 NOS	
	Page 107:12						428:48
12	MS Casing Pipe covers C class.						
	(1)	9	–	–	–	9	
	(2)	9	–	–	–	9	
	(3)	9	–	–	–	9	
	(W)	9	–	–	–	9	
	Page 160:68					36 NOS	5784:48

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾ

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(13)	Fabricating Supplying and mounting MS Box & Loose Sunshade for floor / Wall mounting Energy meter as per WBM provision for Sector near description (Providing WBM hinged front cover equipped with tamper proof locking arrangements, WBM Sunshade size 6mm thick with necessary cable entry pipe WBM Sunshade size 6mm thick with necessary cable entry pipe WBM stand and box shall be finished 2 Coats of red oxide primer paint and finally finished with approved Colour enamel metal paint etc. Complete box & Complete.					21600 Each etc	

Serial I
Name
Name
Date o

Date
1

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497808

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(1) Kundeshwara Sampigeharu	1	1100.00	20.00	–	22000.00	
	(2) Beyerothaba Circle Near Anjineya Temple Jakkur.	1	1100.00	20.00	–	22000.00	ಸಹಾಯಕ ಅಭಿಯಂತರರು ಬಿ.ಬಿ.ಎಂ.ಪಿ ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿ
	(3) Agrahara Layout Near Balaji Layout Jakkur	1	1100.00	20.00	–	22000.00	
	(4) Krishnappagara Near Balaji Layout Jakkur.	1	1100.00	20.00	–	22000.00	30800.00
						88000.00 Sarcm	

Rate. 0 : 35

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
(14)	Lesson Charges for erection & new / Refained Sub mersible pumpsets along with GI Pipes (32/100 mm) cable (new Submersible pumpsets & Serviced by the department free of cost and returned pumpsets should be handed over to department including transportation (Cable length - 6.00 mtr).						
	①	45	—	—	—	45.00	
	②	45	1	1	—	45.00	
	③	45	1	1	—	45.00	
	④	45	1	1	—	45.00	16968:6
						180.00	Contd

Page - 94:27

Serial
Name
Name
Date c

Date 1
(15)

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497809

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
15	Erection of Combined Panel board meter board with all necessary material and labour including providence 1:3:6 foundation bed ese.. complete for basement out door type (MR)						
	①	1	-	-	-	1	
	②	1	1	-	-	1	
	③	1	1	-	-	1	
	④	1	1	-	-	1	
						4 Nos	
	Rate · 494 : 00						1976 : 00

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ ವ್ಯಾಪ್ತಿಯಲ್ಲಿರುವ ಬಿಬಿಎಂಪಿ

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(16)	Supplying and fixing 2 Porcelain fuse carrier with cut out on existing wooden/panel using necessary nuts bolts and washers etc. complete.						
	(1)	3	1	—	—	3	
	(2)	3	1	1	1	3	
	(3)	3	1	—	—	3	
	(W)	3	—	—	—	3	
						12 nos	
	Rate: 156:00						
(17)	Supplying and laying 2 Lt. Cable having Aluminium Conductor PVC insulated sheathed galvanised steel						1872:00

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497810

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Wire/Steel tape armoured Cable with Pre Coated Sheeting 1.1 KV class 4 Core 16 Sq mm Cable (Conforming to IS 1554)						
	①	1	32.00	—	—	32.00	
	②	1	36.00	—	—	36.00	
	③	1	39.00	—	—	39.00	
	④	1	32.00	—	—	32.00	
	Rate · 176 : 75					139.00 MW	24568 : 25

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ವಿ.ವಿ.ಎಂ.ಪಿ ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿ

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(18)	Digging & trenches @ 0.6 mm x 0.50 MDr Wide Rejoining the trench to the required ground Level & Consolidation etc.- Compose Rubbing Road Surfaces.						
	(1)	1	32.00	-	-	32.00	
	(2)	1	36.00	-	-	36.00	
	(3)	1	39.00	-	-	39.00	
	(4)	1	32.00	-	-	32.00	
	Rate · 58:92					139.00 MDr	
						8189.88	
(19)	Supplying and fixing Class. A GI Pipe on Pole Wall/Drain Crossing with necessary Clamp/Support						(20)

Serial
Name
Name
Date
Date
1

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497811

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	For LT Cable &	1.1 KV Class 400 mm				ese.. compl ese.	
	①	1	3.00	1	1	3.00	
	②	1	3.00	1	1	3.00	
	③	1	3.00	1	1	3.00	
	④	1	3.00	1	1	3.00	
						12.00 Mtr	3676:32
	Rate. 306:36						
20	Supplying and fixing wiring	Earth electrode for grounding					
	Conduits IC Cutouts and other	equipments on the meter					

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿ

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	bond using 40 mm dia 2.90 mm thick GI pipe 2.50 m long buried in a pit the pit should be filled with equal proportion of sand and charcoal 100 mm above the pile to complete depth the connection from the pile to the conduits etc. it to be established through GI wire & size as per IS specification etc. complete as per specification.						
	(1)	1	—	—	—	1	
	(2)	1	—	—	—	1	
	(3)	1	—	—	—	1	
	(4)	1	—	—	—	1	
	Rate. 1767:48					4 nos	7069:92

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497812

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(21)	Supply and fixing LT cast iron pot heads suitable for 1.1 kv class 16 sqmm 4c XLPE cable fixed on necessary bidemen / insulating compound Compose with terminals clamps bolts nuts and washers etc. Complete as per specification.						
	(1)	1	—	—	—	1	
	(2)	1	—	—	—	1	
	(3)	1	—	—	—	1	
	(4)	1	—	—	—	1	
	Rate. 282:80					4 Nos	1131:20

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ ಬ್ಯಾಟರಾಯನಪುರ ಉಪ

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(22)	Supplying and fixing 8 polished wood board made of not less than 15mm thick plank on both sides with planes on both sides, when 2 pieces are fixing the same to wall, using tapered screws of size 25 x 20 x 2-gauge						
	①	1	—	—	—	1	
	②	1	—	—	—	1	
	③	1	—	—	—	1	
	④	1	—	—	—	1	
						4 Nos	
	Rate - 324:04						1296

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

497813

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(23)	Borewell cap and clamp 6of.						
	(1)	1	—	—	—	1	
	(2)	1	—	—	—	1	
	(3)	1	—	—	—	1	
	(W)	1	—	—	1	1	
						4 Nos	7488:00
	Rate. 1872:00						
(24)	Supply and delivery of 6of size brand New Texmo/Innoval Lasi Sensor Atlanta / Calamal / Watermark / Rajdhani						

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ವಿ.ವಿ.ಎ.ಪ ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Servicing HP deep well submersible pump set for vertical installation in 100 dia borewell Comp. of single stage one nos pump close coupled by means of stainless steel coupling to servicing HP servicing steel body enclosed and guided impeller Drinking Water Submersible case submersible induction motor servicing for operation @ 3PH 50 Hz 380 Volts with required accessories such as starter Cable Suction strainers Earthing Complete set pump and motor shall from the instrument with all required fittings 17.10 Nos @ 30 stage.						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497814

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(1) Kundeshapa Sampigehalli.	1	–	–	–	1	
	(2) Byrecowdanacircle Near Anjineya Temple Jakkur.	1	–	–	–	1	
						2 Nos	150022:08
	Rate. 75011:04						
	20 HP no stage.						
	(3) Agrahara layout Near Balaji layout Kogilu	1	–	–	–	1	

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	② Krishnanagara Near Balaji Layout Bagalur. Page · 94218 ÷ 8	1	–	–	–	1 2 Nos	188437
26	Providing laying and jointing GI Pipes Conforming to IS Specification & approved make with B.S.P. screwed Coccers bends elbows tees nipples plugs with cast threads using white lead and jointing wherever necessary as per direction including all lead and use etc. Complete & Grade Excluding cost of

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B 497815

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(1) Kundeshapu Sampigehalli	53	6.00	-	-	318.00	
	(2) Byrecowdacircle Near Anjineyatemple Jakkur.	56	6.00	1	-	336.00	
	(3) Agraharaya layout Near Balaji layout (Road)	56	6.00	-	-	336.00	
	(4) Krishnanagara Near Balaji layout Kasaba	58	6.00	-	-	348.00	
	Rate. 431:60					1338.00 MT	577480:80

ಸಹಾಯಕ ಅಭಿಯಂತರರು ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭ

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(27)	Supply and fixing Cocean Serial Pipes 50 mm						
	(1)	53	-	-	-	53	
	(2)	56	-	-	-	56	
	(3)	56	-	-	-	56	
	(W)	58	-	-	-	58	
	Base · 187:20					223 Nos	41745:60
(28)	Supplying & Submersible Pump Cable 4 sq mm elsewhere complete as per specification.						1436.00
	(1) Kundlethary Sampigehally	1	696.00	-	-	696.00	

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497816

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(2) Byrekowda circle						
	Near Anjineya Temple Jakkur.	1	732.00	–	–	732.00	
	(3) Agrahara layout						
	Near Balaji layout (Kasiba)	1	735.00	–	–	735.00	
	(4) Krishnanagara						
	Near Balaji layout (Kasiba)	1	756.00	–	–	756.00	
						2919.00 Mtr	
	Rate. 149:76						437149:44

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
29	Supplying and delivery of 63A Brand New / Essel / Legrand / Siemens / Adani / L&T Controls Best Indigenous make complete energy meter cum Control Panel board unit of size 1200 x 600 x 300 mm minimum mechanical strong and vermin and water proof duly duly shall have two detachable doors Entrance openings on 3 ph. 380/440 volts AC supply with spring loaded Cabin locking with key is should be provided duly completed energy meter cum control Panel board unit shall be of 63A TP MCCB for operation on 3 ph 50 Hz 380/440 AC supply. Shall be completed ese complete Panel board shall be fabricated on sound duly						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497817

No. .....

of Work ..... From..... To.....

of Contractor of nature of Agency .....

f commencement of work .....

Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
	Number	Length	Breadth	Depth		
2	3	4	5	6	7	8
①	1	–	–	–	1	
②	1	–	–	–	1	
③	1	–	–	–	1	
Ⓦ	1	–	–	–	1	
					4 Nos	

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿ

Rate. 21840:40

Supplying and delivery of 80 mm Gate valve etc.- complete as per Specification.

87360:40

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	①	1	1	—	—	1	
	②	1	1	—	—	1	
	③	1	1	—	—	1	
	④	1	1	—	—	1	
	Page - 187 2:6					4 Nos	
(31)	Supplying and delivery of 8 brand 50 mm non return valve.						7488:1 32
	①	3	1	1	1	3	
	②	3	1	1	1	3	

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497818

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(3)	3	1	1	1	3	
	(4)	2	1	1	1	2	
						11 Nos	
	Rate · 1872 : 00						20592:4
(32)	Supplying and fixing MCB etc., complete as per specification						
	(1)	1	1	1	1	1	
	(2)	1	1	1	1	1	

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement	Serial Name Name Date
1	2	Number 3	Length 4	Breadth 5	Depth 6	7	8	
	③	1	–	–	–	1		
	④	1	–	–	–	1		
						4 Nos	3744	54
	Rate · 936 = 00							
33	GI pipe 40 mm A class for electrical Pole.							
	①	1	2.50	–	–	2.50		
	②	1	2.50	–	–	2.50		
	③	1	2.50	–	–	2.50		
	④	1	2.50	–	–	2.50		55
						10.00 Mtr	4160	
	Rate · 416 = 00							

Date 1

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497819

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
34	Pot heads						
	①	1	—	—	—	1	
	②	1	—	—	—	1	
	③	1	—	—	—	1	
	④	1	—	—	—	1	
						4 Nos	1497:60
	Rate · 374:40						
35	Earthwork Excavation for foundation & buildings Water supply Sanitary lines and electrical Conduits						

ಸಹಾಯಕ ಅಭಿಯಂತರರು ಬಿ.ಬಿ.ಎಂ.ಪಿ ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿ

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	excavation in pits or in trenches 1.00 mm and above in width in ordinary soil not exceeding 1.00 mm in depth including dressing the bottom and sides of pits and trenches shoveling the excavated soil clear from edges of excavation and loading in trucks including breaking of clods complete as per specification.						
	As per Pre-measurement recorded vide page no. 497870 to 497873					in this MB.	
	Page - 329 : 62					705.60 M³	232579

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497820

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(36) Providing and installing as per site of work 63mm (0.662) PVC Pipes of 6 kg/cm² including cost of Pipes and Specials and labour including lowering into trenches laying true to line level and proper jointing as per manufacturer's specification and approved type with all labour and lift charges handling charges including encasing the Pipe all round in a design mix (1:5:10) with Gravel or selected earth excavation. The excavation is compressed as per specifications.						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	As per Pre-Measurement recorded vide Page No.. 497873 to 497876 in this MB. Page. 410:09					1568.00 Mtr	
	Providing and laying Concrete around Pipeline cables in Trenches not exceeding 20cms in depth Comprising Cable depressed Layer by ramming after watering with sand upto 50 mm. and Protective 1.50 mm including Cost of all labour complete as per Specification etc. Complete.					64302/-	

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

497821

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	CBFC Agreement Rate 133:39	vide	Item no.		35	705.60 M^3	94119:98
					Total Rs-		3789052:00
	BESCOM Deposits.						
	FOR Application Fees.		4 x	100:00		Rs.	400:00

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	FOR Deposits.		4 x	13710 : 00		Rs-	54840
	FOR MSD Fees		4 x	2020 : 00		Rs-	8080
					Total Rs -		385237

Certificate: ① Certified that the work done Satisfa

② The bill Amount has not been claim in any of Previous bill.